

Volume NETWORK TPP1601095624
Order number SO19002837-002
Customer ref. CMLA, ENS Cachan
Date 2019-01-30 14:10:14

NETWORK Directory

Sequence number	Item	Description
1	2	DS_PHR1A_201806261051015_FR1_PX_E002N48_0916_00906
2	2	DS_PHR1A_201806261051015_FR1_PX_E002N48_0916_00906

Number of items on NETWORK : 2

Work Order SO19002837-002-2 (3729433101002)
Volume NETWORK TPP1601095624
Product ID DS_PHR1A_201806261051015_FR1_PX_E002N48_0916_00906
Product code PHR
Date 2019-01-30 14:10:14



Product Parameters

Product Id DS_PHR1A_201806261051015_FR1_PX_E002N48_0916_00906
ROI type POLYGON
Acquisition date 2018-06-26 10:51:38.6
Platform PHR 1A
Acquisition mode PX
Spectral processing XS
Processing level SENSOR

Band information

Number of bands 4
Band ID B0
Absolute calibration gains (W/m²/sr/μm)

B0	B1	B2	B3
9.05	9.1	10.17	15.36

Incidences and orientation

	start	middle	end
Orientation	180.0270864633912	180.2549591995276	180.0551570726693
Global incidence	13.3967453781131	13.33282333056964	13.2564956654126
Accross / along the track incidence	11.4294077348395 / -7.176525923245206	11.3138664218978 / -7.239823435012001	11.23247102694252 / -7.222968112934884
Solar azimuth	148.9456541227399	148.9070775279337	148.860678566846
Solar elevation	62.11995540656503	62.15343481515031	62.19365322723746


Coordinate system

CRS type GEOGRAPHIC
CRS name WGS84
CRS code EPSG:4326


Product dimension

Number of lines 4986
Number of pixels per line 5435


Histogram band B0




Histogram band B1



Histogram band B2



Histogram band B3



Work Order SO19002837-002-2 (3729433101001)
Volume NETWORK TPP1601095624
Product ID DS_PHR1A_201806261051015_FR1_PX_E002N48_0916_00906
Product code PHR
Date 2019-01-30 14:10:14

Product Parameters

Product Id DS_PHR1A_201806261051015_FR1_PX_E002N48_0916_00906
ROI type POLYGON
Acquisition date 2018-06-26 10:51:38.6
Platform PHR 1A
Acquisition mode PX
Spectral processing PA
Processing level SENSOR

Band information

Number of bands 1
Band ID PA
Absolute calibration gains 11.55
(W/m2/sr/μm)

Incidences and orientation

	start	middle	end
Orientation	180.0270864633912	180.2549591995276	180.0551570726693
Global incidence	13.3967453781131	13.33282333056964	13.2564956654126
Accross / along the track incidence	11.4294077348395 / -7.176525923245206	11.3138664218978 / -7.239823435012001	11.23247102694252 / -7.222968112934884
Solar azimuth	148.9456541227399	148.9070775279337	148.860678566846
Solar elevation	62.11995540656503	62.15343481515031	62.19365322723746

Coordinate system

CRS type GEOGRAPHIC
CRS name WGS84
CRS code EPSG:4326

Product dimension

Number of lines 19944
Number of pixels per line 21738

Histogram band PA

