

Volume NETWORK TPP1600933260
Order number SO18015774-003
Customer ref. CMLA ENS
Date 2018-06-14 14:10:54

NETWORK Directory

Sequence number	Item	Description
1	3	DS_PHR1A_201805111646119_FR1_PX_W091N29_0912_00286
2	3	DS_PHR1A_201805111646119_FR1_PX_W091N29_0912_00286

Number of items on NETWORK : 2

Work Order SO18015774-003-3 (3064422101002)
Volume NETWORK TPP1600933260
Product ID DS_PHR1A_201805111646119_FR1_PX_W091N29_0912_00286
Product code PHR
Date 2018-06-14 14:10:54



Product Parameters

Product Id DS_PHR1A_201805111646119_FR1_PX_W091N29_0912_00286
ROI type POLYGON
Acquisition date 2018-05-11 16:46:48.0
Platform PHR 1A
Acquisition mode PX
Spectral processing XS
Processing level SENSOR

Band information

Number of bands 4
Band ID B0
Absolute calibration gains (W/m2/sr/μm)

B0	B1	B2	B3
8.88	8.97	10.06	15.29

Incidences and orientation

	start	middle	end
Orientation	180.0024672762742	180.0308332100114	180.0593208861962
Global incidence	19.7878515304838	19.77634873069155	19.75332460244428
Accross / along the track incidence	4.545410383210356 / 19.33543585359698	4.538605787844313 / 19.32495630141185	4.515229215649088 / 19.30595258576573
Solar azimuth	120.7839169147986	120.7638280661896	120.7235888809622
Solar elevation	70.16077559771482	70.16508798620895	70.17370031480296


Coordinate system

CRS type GEOGRAPHIC
CRS name WGS84
CRS code EPSG:4326


Product dimension

Number of lines 1497
Number of pixels per line 1810


Histogram band B0




Histogram band B1



Histogram band B2



Histogram band B3



Work Order SO18015774-003-3 (3064422101001)
Volume NETWORK TPP1600933260
Product ID DS_PHR1A_201805111646119_FR1_PX_W091N29_0912_00286
Product code PHR
Date 2018-06-14 14:10:54

Product Parameters

Product Id DS_PHR1A_201805111646119_FR1_PX_W091N29_0912_00286
ROI type POLYGON
Acquisition date 2018-05-11 16:46:48.0
Platform PHR 1A
Acquisition mode PX
Spectral processing PA
Processing level SENSOR

Band information

Number of bands 1
Band ID PA
Absolute calibration gains 11.45
(W/m²/sr/μm)

Incidences and orientation

	start	middle	end
Orientation	180.0024672762742	180.0308332100114	180.0593208861962
Global incidence	19.7878515304838	19.77634873069155	19.75332460244428
Accross / along the track incidence	4.545410383210356 / 19.33543585359698	4.538605787844313 / 19.32495630141185	4.515229215649088 / 19.30595258576573
Solar azimuth	120.7839169147986	120.7638280661896	120.7235888809622
Solar elevation	70.16077559771482	70.16508798620895	70.17370031480296

Coordinate system

CRS type GEOGRAPHIC
CRS name WGS84
CRS code EPSG:4326

Product dimension

Number of lines 5988
Number of pixels per line 7238

Histogram band PA

