

Volume NETWORK TPP1600934882
Order number SO18015969-091
Customer ref. CMLA ENS
Date 2018-06-16 14:44:34

NETWORK Directory

Sequence number	Item	Description
1	91	DS_PHR1A_201709031707098_FR1_PX_W097N35_0424_01043
2	91	DS_PHR1A_201709031707098_FR1_PX_W097N35_0424_01043

Number of items on NETWORK : 2

Work Order SO18015969-091-91 (3072600101002)
Volume NETWORK TPP1600934882
Product ID DS_PHR1A_201709031707098_FR1_PX_W097N35_0424_01043
Product code PHR
Date 2018-06-16 14:44:34

Product Parameters

Product Id DS_PHR1A_201709031707098_FR1_PX_W097N35_0424_01043
ROI type POLYGON
Acquisition date 2017-09-03 17:07:46.8
Platform PHR 1A
Acquisition mode PX
Spectral processing XS
Processing level SENSOR

Band information

Number of bands 4
Band ID
Absolute calibration gains (W/m²/sr/μm)

B0	B1	B2	B3
8.88	8.97	10.06	15.29

Incidences and orientation

	start	middle	end
Orientation	180.1109823573969	180.0321169637151	179.731608138728
Global incidence	27.49427672593447	27.42595812865585	27.34351721927089
Accross / along the track incidence	27.41817002363291 / -2.397540227464615	27.34873528273726 / -2.40999024242306	27.27184954827185 / -2.316174917177194
Solar azimuth	142.8708986844789	142.8250011103529	142.7720306886784
Solar elevation	56.19922574463632	56.23944904777142	56.28644136710169


Coordinate system

CRS type GEOGRAPHIC
CRS name WGS84
CRS code EPSG:4326


Product dimension

Number of lines 5757
Number of pixels per line 3374


Histogram band B0




Histogram band B1



Histogram band B2



Histogram band B3



Work Order SO18015969-091-91 (3072600101001)
Volume NETWORK TPP1600934882
Product ID DS_PHR1A_201709031707098_FR1_PX_W097N35_0424_01043
Product code PHR
Date 2018-06-16 14:44:34

Product Parameters

Product Id DS_PHR1A_201709031707098_FR1_PX_W097N35_0424_01043
ROI type POLYGON
Acquisition date 2017-09-03 17:07:46.8
Platform PHR 1A
Acquisition mode PX
Spectral processing PA
Processing level SENSOR

Band information

Number of bands 1
Band ID PA
Absolute calibration gains 11.45
(W/m2/sr/μm)

Incidences and orientation

	start	middle	end
Orientation	180.1109823573969	180.0321169637151	179.731608138728
Global incidence	27.49427672593447	27.42595812865585	27.34351721927089
Accross / along the track incidence	27.41817002363291 / -2.397540227464615	27.34873528273726 / -2.40999024242306	27.27184954827185 / -2.316174917177194
Solar azimuth	142.8708986844789	142.8250011103529	142.7720306886784
Solar elevation	56.19922574463632	56.23944904777142	56.28644136710169

Coordinate system

CRS type GEOGRAPHIC
CRS name WGS84
CRS code EPSG:4326

Product dimension

Number of lines 23028
Number of pixels per line 13495

Histogram band PA

