

Volume NETWORK TPP1600935718
Order number SO18015969-086
Customer ref. CMLA ENS
Date 2018-06-17 02:54:13

NETWORK Directory

Sequence number	Item	Description
1	86	DS_PHR1A_201709151714595_FR1_PX_W097N35_0424_01116
2	86	DS_PHR1A_201709151714595_FR1_PX_W097N35_0424_01116

Number of items on NETWORK : 2

Work Order SO18015969-086-86 (3072595101002)
Volume NETWORK TPP1600935718
Product ID DS_PHR1A_201709151714595_FR1_PX_W097N35_0424_01116
Product code PHR
Date 2018-06-17 02:54:13

Product Parameters

Product Id DS_PHR1A_201709151714595_FR1_PX_W097N35_0424_01116
ROI type POLYGON
Acquisition date 2017-09-15 17:15:36.6
Platform PHR 1A
Acquisition mode PX
Spectral processing XS
Processing level SENSOR

Band information

Number of bands 4
Band ID
Absolute calibration gains (W/m²/sr/μm)

B0	B1	B2	B3
8.88	8.97	10.06	15.29

Incidences and orientation

	start	middle	end
Orientation	180.028303455046	179.9889320687097	179.9070758889525
Global incidence	13.14783306947399	13.03992814745425	12.94660160959184
Accross / along the track incidence	12.13628482125828 / 5.211521644892827	12.02202612139372 / 5.201893306555089	11.91895532272392 / 5.203571656565372
Solar azimuth	151.0866853280606	151.0510549464832	151.0205986659546
Solar elevation	53.47408379099353	53.52164150654084	53.56243593145776


Coordinate system

CRS type GEOGRAPHIC
CRS name WGS84
CRS code EPSG:4326


Product dimension

Number of lines 6168
Number of pixels per line 4035


Histogram band B0




Histogram band B1



Histogram band B2



Histogram band B3



Work Order SO18015969-086-86 (3072595101001)
Volume NETWORK TPP1600935718
Product ID DS_PHR1A_201709151714595_FR1_PX_W097N35_0424_01116
Product code PHR
Date 2018-06-17 02:54:13

Product Parameters

Product Id DS_PHR1A_201709151714595_FR1_PX_W097N35_0424_01116
ROI type POLYGON
Acquisition date 2017-09-15 17:15:36.6
Platform PHR 1A
Acquisition mode PX
Spectral processing PA
Processing level SENSOR

Band information

Number of bands 1
Band ID PA
Absolute calibration gains 11.45
(W/m²/sr/μm)

Incidences and orientation

	start	middle	end
Orientation	180.028303455046	179.9889320687097	179.9070758889525
Global incidence	13.14783306947399	13.03992814745425	12.94660160959184
Accross / along the track incidence	12.13628482125828 / 5.211521644892827	12.02202612139372 / 5.201893306555089	11.91895532272392 / 5.203571656565372
Solar azimuth	151.0866853280606	151.0510549464832	151.0205986659546
Solar elevation	53.47408379099353	53.52164150654084	53.56243593145776

Coordinate system

CRS type GEOGRAPHIC
CRS name WGS84
CRS code EPSG:4326

Product dimension

Number of lines 24672
Number of pixels per line 16136

Histogram band PA

